



Nucleotide

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Display Show:

□1: Y00815. Human mRNA for LC...[gi:34266]

Links

```

LOCUS       HSLARR                               7702 bp    mRNA    linear    PRI 19-SEP-1995
DEFINITION  Human mRNA for LCA-homolog. LAR protein (leukocyte antigen
related).
ACCESSION   Y00815
VERSION     Y00815.1   GI:34266
KEYWORDS    antigen; cell surface glycoprotein; glycoprotein; immunoglobulin
superfamily; LAR gene; leukocyte common antigen; neural cell
adhesion molecule; transmembrane protein.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1
  AUTHORS   Streuli,M., Krueger,N.X., Hall,L.R., Schlossman,S.F. and Saito,H.
  TITLE     A new member of the immunoglobulin superfamily that has a
            cytoplasmic region homologous to the leukocyte common antigen
  JOURNAL   J. Exp. Med. 168 (5), 1523-1530 (1988)
  MEDLINE   89035978
  PUBMED    2972792
REFERENCE   2
  AUTHORS   Schaapveld,R.Q., van den Maagdenberg,A.M., Schepens,J.T.,
            Weghuis,D.O., Geurts van Kessel,A., Wieringa,B. and Hendriks,W.J.
  TITLE     The mouse gene Ptprf encoding the leukocyte common antigen-related
            molecule LAR: cloning, characterization, and chromosomal
            localization
  JOURNAL   Genomics 27 (1), 124-130 (1995)
  MEDLINE   95394448
  PUBMED    7665159
REFERENCE   3 (bases 1 to 7702)
  AUTHORS   Saito,H.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-SEP-1988) Saito H., Dana-Farber Cancer Institute, 44
            Binney Street, Boston, MA 02115
FEATURES             Location/Qualifiers
     source           1..7702
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /cell_type="lymphocyte"
                     /tissue_type="tonsil"
                     /clone_lib="lambda gt11"
     CDS              371..6064
                     /codon_start=1
                     /product="put. LAR preprotein (AA -16 to 1881)"
                     /protein_id="CAA68754.1"
                     /db_xref="GI:34267"
                     /db_xref="SWISS-PROT:P10586"
                     /translation="MVPLVPALVMLGLVAGAHGDSKPVFIKVPEDQTGLSGGVASFVQ
QATGEPKPRITWMKKGKKVSSQRFVEVIEFDDGAGSVLRIQPLRVQRDEAIYECTATNS
LGEINTSAKLSVLEEEQLPPGFPSIDMGPQLKVV EKARTATMLCAAGGNPDPEISWFK
DLFVPDPATNSNGRIKQLRSGALQIESSESDQGYECVATNSAGTRY SAPANLYVRVR
RVAPRFSIPSSOEVMPPGGSVNLTCVAVGAPMPYVKWMMGAEEELTKEDEMPVGRNVLE

```

LSNVVRSANYTCVAISSLGMIETAQVTVKALPKPPIDLVTETTATSVTLTWDSGNS
 EPVTTYGIQYRAAGTEGPFQEVGDVATTRYSIGGLSPFSEYAFRLAVNSIGRGPPSE
 AVRARTGEQAPSSPPRRVQARMLASTMLVQWEPPEEPNGLVGRVYVYTPDSRRPPN
 AWHKHNTDAGLLTTVGSLPGITYSLRVLAFTAVGDGPPSPTIQVKTQQGVPAQPADF
 QAEVESDTRIQLSWLLPPQERIIMYELVYAAEDEDQHKVTFDPTSSYTLEDLKPDT
 LYRFQLAARSDMGVGVFTPTIEARTASTPSAPPQKVMCVSMGSTTVRVSWVPPADS
 RNGVITQYSVAHEAVDGEDGRHVVVDGISREHSSWDLVGLKWKTEYRVVWRAHTDVGP
 GPESPVLVRTDEDVPSGPPRKVEVEPLNSTAVHVYWKLPVPSKQHGQIRGYQVTVYR
 LENGEPRLPIIQDVMLAEAQWRPEESEDYETTISGLTPETTVSVTVAAVYTKGDGAR
 SKPKIVTTTGA VPGRPMTMISTTAMNTALLQWHPKELPGELLGYRLQYCRADARP
 TIDFGKDDQHFTVTGLHKGTTYIFRLAAKNRAGLGEEFEKEIRTPEDLPSGFPQNLHV
 TGLTTSTTELAWDPPVLAERNRIISYTVVFRDINSQQELQNIITDTRFTLTGLKPD
 TYDIKVRATWSKSGSPLSPSIQSRTMPVEQVFAKNFRVAAAMKTSVLLSWEVPDSYKS
 AVPFKILYNGQSVEVDGHSRMLIADLQPNTEYSFVLMNRGSSAGGLQHLVSIPTAPD
 LLPHKPLPASAYIEDGRFDLSMPHVQDPSLVRWFYIVVVPIDRVGGSMLTPRWSTPEE
 LEDELLEAIEQGGEQRRRRRQAEERLKPYVAAQLDVLPETFTLGDKKNYRGFYNRPL
 SPDLISYQCFVLASLKEPMDQKRYASSPYSDEIVVQVTPAQQQEPEMLWVTGPVLAVI
 LIILIVIAILLFKRKRTHSPSSKDEQSIGLKDSLLAHSSDPVEMRRLNYQTPGMRDHP
 PIPITDLADNIERLKANDGLKFSQEYESIDPGQQTWENSNNLEVNKPKNRYANVIAYD
 HSRVILTSIDGVPGSDYINANYIDGYRKQNAVYIATQGGLPETMGDFWRMVWEQRTATV
 VMMTRLEEKSRVKCDQYWPARGTETCGLIQVTLTLDTELATYTVRTFALHKSSESSEKR
 ELRQFQFMAWPDHGVPEYPTPIAFLRRVKACNPLDAGPMVHCSAGVGRGTGCFIVID
 AMLERMKHEKTVDIYGHVTCMRSQRNVMVQTEDQYVFIHEALLEAATCGHTEVPARNL
 YAHIQKLQVPPGESVTAMELEFKLLASSKAHTRSFISANLPCNKFNRLVNIIMPYEL
 TRVCLQPIRGVEGSDYINASFLLDGYRQKAYIATQGPLAESTEDFWRMLWEHNSTIIV
 MLTKLREMGREKCHQYWPAERSARYQYFVVDPMAYNMPQYILREFKVTDARDQSRT
 IRQFQFTDWPEQGVPKTGEGFIDFIGVHKTKEQFGQDGPITVHCSAGVGRGTGVFITL
 SIVLERMRYEGVDMFQTVKTLRTQRPAMVQTEDQYQLCYRAALEYLGSEFDHYAT"

sig peptide

371..418

/note="put. signal peptide (AA -16 to -1)"

mat peptide

419..6061

/product="put. LAR protein (AA 1 - 1881)"

misc feature

419..4120

/note="put. extracellular domain"

misc feature

4121..4192

/note="put. transmembrane domain"

misc feature

4193..6061

/note="put. cytoplasmic domain"

BASE COUNT 1636 a 2286 c 2292 g 1488 t

ORIGIN

```

1  cgggagcggc  gggagcgggtg  gcggcggcag  aggcggcggc  tccagcttcg  gctccggctc
61  gggctcgggc  tccggctccg  gctccggctc  cggtccagc  tcgggtggcg  gtggcgggag
121  cgggaccagg  tggaggcggc  ggcggcagag  gaggggagc  agcggcccta  gcggttcgcg
181  gggggacatg  cggaccgacg  gcccctggat  aggcggaagg  agtggaggcc  ctggtgcccg
241  gcccttggtg  ctgagtatcc  agcaagagtg  accgggggtg  agaagcaaag  actcggttga
301  ttgtcctggg  ctgtggctgg  ctgtggagct  agagccctgg  atggccctcg  agccagcccc
361  agggaggacg  atggtgcccc  ttgtgcctgc  actggtgatg  cttggtttgg  tggcaggcgc
421  ccattggtgac  agcaaacctg  tcttcattaa  agtccctgag  gaccagactg  ggctgtcagg
481  aggggtagcc  tccttcgtgt  gccaaactac  aggagaacct  aagccgcgca  tcacatggat
541  gaagaagggg  aagaaagtca  gctcccagcg  cttcgaggct  attgagtttg  atgatggggc
601  agggtcagtg  cttcggatcc  agccattgcg  ggtgcagcga  gatgaagcca  tctatgagtg
661  tacagctact  aacagcctgg  gtgagatcaa  cactagtgcc  aagctctcag  tgctcgaaga
721  ggaacagctg  ccccctgggt  tcccttccat  cgacatgggg  cctcagctga  aggtggtgga
781  gaaggcacgc  acagccacca  tgctatgtgc  cgcaggcgga  aatccagacc  ctgagatttc
841  ttggttcaag  gacttccttc  ctgtagacct  tgccacgagc  aacggccgca  tcaagcagct
901  gcgttcagg  gccttgacga  tagagagcag  tgaggaaatc  gaccaaggca  agtaccagtg
961  tgtggcgacc  aactcggcag  gcacacgtta  ctacagccct  gcgaacctgt  atgtgcgagt
1021  gcgcccggcg  gctcctcggt  tctccatccc  tcccagcagc  caggaggtga  tggcaggcgg
1081  cagcgtgaac  ctgacatgcg  tggcagtggt  tgcacccatg  ccctacgtga  agtggatgat
1141  gggggccgag  gagctcacca  aggaggatga  gatgccagtt  ggccgcaacg  tcttgagctc
1201  cagcaatgtc  gtacgctctg  ccaactacac  ctgtgtggcc  atctcctcgc  tgggcatgat
1261  cgaggccaca  gccagggtca  cagtgaagac  tcttccaaag  cctccgattg  atcttgtggt
1321  gacagagaca  actgccacca  gtgtcaccct  cacctgggac  tctgggaact  cggagcctgt
1381  aacctactat  ggcattccag  accgcgcagc  gggcacggag  ggcccctttc  aggaggtgga
1441  tgggtgtggc  accaccgcgt  acagcattgg  cggcctcagc  cctttctcgg  aatatgcctt

```

1/9/1 (Item 1 from file: 5)
DIALOG(R) File 5: Biosis Previews(R)
*(c) 2003 BIOSIS. All rts. reserv.

09096593 BIOSIS NO.: 199497104963

**Characterization of AE-6 monoclonal antibody recognizing VHCSAGV sequence
in CD45 PTPase domain.**

AUTHOR: Takeuchi Tsutomu; Sekine Hiromi; Koide Jun; Abe Tohru

AUTHOR ADDRESS: Saitama Med. Sch., Saitama**Japan

JOURNAL: Tissue Antigens 42 (4):p441 1993

CONFERENCE/MEETING: 5th International Conference on Human Leukocyte
Differentiation Antigens Boston, Massachusetts, USA November 3-7, 1993

ISSN: 0001-2815

RECORD TYPE: Citation

LANGUAGE: English

REGISTRY NUMBERS: 79747-53-8: PROTEIN TYROSINE PHOSPHATASE

DESCRIPTORS:

MAJOR CONCEPTS: Biochemistry and Molecular Biophysics; Blood and
Lymphatics (Transport and Circulation); Cell Biology; Clinical
Immunology (Human Medicine, Medical Sciences); Enzymology (Biochemistry
and Molecular Biophysics); Membranes (Cell Biology)

BIOSYSTEMATIC NAMES: Hominidae--Primates, Mammalia, Vertebrata, Chordata,
Animalia

ORGANISMS: human (Hominidae)

BIOSYSTEMATIC CLASSIFICATION (SUPER TAXA): animals; chordates; humans;
mammals; primates; vertebrates

CHEMICALS & BIOCHEMICALS: PROTEIN TYROSINE PHOSPHATASE

MISCELLANEOUS TERMS: FIBRONECTIN DOMAIN; MEETING ABSTRACT; PROTEIN
TYROSINE PHOSPHATASE; SIGNAL TRANSDUCTION; TISSUE ANTIGEN

CONCEPT CODES:

02508 Cytology and Cytochemistry-Human
10064 Biochemical Studies-Proteins, Peptides and Amino Acids
10506 Biophysics-Molecular Properties and Macromolecules
10508 Biophysics-Membrane Phenomena
10806 Enzymes-Chemical and Physical
10808 Enzymes-Physiological Studies
15008 Blood, Blood-Forming Organs and Body Fluids-Lymphatic Tissue and
Reticuloendothelial System
34508 Immunology and Immunochemistry-Immunopathology, Tissue Immunology
00520 General Biology-Symposia, Transactions and Proceedings of
Conferences, Congresses, Review Annuals
10068 Biochemical Studies-Carbohydrates

BIOSYSTEMATIC CODES:

86215 Hominidae



PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display Abstract	Show: 20	Sort	Send to Text
------------------	----------	------	--------------

☐ 1: Biochem J 1992 Jun 1;284 (Pt 2):569-76

[Related Articles, Links](#)

Entrez PubMed

Insulin receptor and epidermal growth factor receptor dephosphorylation by three major rat liver protein-tyrosine phosphatases expressed in a recombinant bacterial system.

Hashimoto N, Zhang WR, Goldstein BJ.

Research Division, Joslin Diabetes Center, Boston, MA.

PubMed
Services

Related
Resources

Protein-tyrosine phosphatases (PTPases) play an essential role in the regulation of signal transduction mediated by reversible protein-tyrosine phosphorylation. In order to characterize individual rat hepatic PTPases that might have specificity for autophosphorylated receptor tyrosine kinases, we isolated cDNA segments encoding three PTPases (PTPase 1B, LAR and LRP) that are expressed in insulin-sensitive liver and skeletal muscle tissue, and evaluated their catalytic activity in vitro. The intrinsic PTPase activities of the full-length PTPase 1B protein and the cytoplasmic domains of LAR and LRP were studied by expression of recombinant cDNA constructs in the inducible bacterial vector pKK233-2 using extracts of a host strain of *Escherichia coli* that lacks endogenous PTPase activity. Each of the cloned cDNAs dephosphorylated a cognate phosphopeptide derived from the regulatory region of the insulin receptor. Despite having only 30-39% sequence identity in their catalytic domains, LAR and PTPase 1B had similar relative activities between the peptide substrate and intact insulin receptors, and also displayed similar initial rates of simultaneous dephosphorylation of insulin and epidermal growth factor (EGF) receptors. In contrast, LRP exhibited a higher rate of dephosphorylation of both intact receptors relative to the peptide substrate, and also dephosphorylated EGF receptors more rapidly than insulin receptors. These studies indicate that three PTPases with markedly divergent structures have the catalytic potential to dephosphorylate both insulin and EGF receptors in intact cells and that redundant PTPase activity may occur in vivo. For these PTPases to have specific physiological actions in intact cells, they must be influenced by steric effects of the additional protein segments of the native transmembrane enzymes, cellular compartmentalization and/or interactions with regulatory proteins.

PMID: 1599438 [PubMed - indexed for MEDLINE]

Display Abstract	Show: 20	Sort	Send to Text
------------------	----------	------	--------------